Contents

Preface ix

SYMPOSIUM PAPERS "CAN CBE SURPASS MBE AND MOCVD? – IN WHICH AREAS?

The use of organometallic group-V sources for the metalorganic molecular beam epitaxy growth of $In_{0.48}Ga_{0.52}P/GaAs$ and $In_{0.53}Ga_{0.47}As/InP$ heterojunction bipolar device structures
E.A. Beam III, H.F. Chau, T.S. Henderson, W. Liu and A.C. Seabaugh 1

The impact of impurity incorporation on heterojunction bipolar transistors grown by metalorganic molecular beam epitaxy
C.R. Abernathy, F. Ren, S.J. Pearton, P.W. Wisk, D.A. Bohling, G.T. Muhr, A.C. Jones, M. Stavola and D.M. Kozuch 11

Selective area growth of III/V materials in metalorganic molecular beam epitaxy (chemical beam epitaxy)
H. Heinecke 18

Chemical beam epitaxy as a breakthrough technology for photovoltaic solar energy applications
M. Yamaguchi, T. Warabisako and H. Sugiura 29

Selective-area epitaxy of GaAs using a GaN mask in in-situ processes
S. Yoshida, M. Sasaki and H. Kawanishi 37

In-situ dry etching of InP using phosphorus trichloride and regrowth inside a chemical beam epitaxial growth chamber
W.T. Tsang, R. Kapre and P.F. Sciortino, Jr. 42

The growth of resonant tunneling hot electron transistors using chemical beam epitaxy
W.L. Chen, G.O. Munns, L. Davis, P.K. Bhattacharya and G.I. Haddad 50

Comparison of chemical beam epitaxy and metalorganic chemical vapour deposition for highly strained multiple quantum well InGaAsP/InP 1.5 μm lasers
D.C. Houghton, M. Davies, T. Sudersena Rao and M. Dion 56

Electroabsorption and modulator characteristics of InGaAsP multiple quantum well laser structures grown by laser-assisted metalorganic molecular beam epitaxy
H. Sugiura, K. Wakita, R. Iga and T. Yamada 64

GROWTH MECHANISMS AND IN-SITU CHARACTERIZATION TECHNIQUES

Advances in the understanding of chemical beam epitaxy growth mechanisms
T. Martin, R.W. Freer, C.R. Whitehouse and P.A. Lane 69

Reflection high energy electron diffraction and reflectance difference studies of surface anisotropy in InGaAs chemical beam epitaxy on flat and vicinal (001)GaAs
B. Junno, G. Paulsson, M. Miller and L. Samuelson 78

Theoretical consideration on the metalorganic molecular beam epitaxy growth mechanism of III–V semiconductors by molecular orbital calculation
Y. Okuno, H. Asahi and S. Gonda 83

In-situ reflection high-energy electron diffraction observation of laser-triggered GaP growth in chemical beam epitaxy
M. Yoshimoto, T. Hashimoto, P. Vaccaro and H. Matsunami 89

Ab initio study on the reaction of trimethylgallium with hydrogen molecule
Y.S. Hiraoka and M. Mashita 94

The role of excess arsenic during the metalorganic molecular beam epitaxial growth of GaAs from trimethylgallium and As_2
T. Kaneko, O. Naji, T.S. Jones and B.A. Joyce 99

Adsorption of carbon-related species onto GaAs(001), (011), and (111) surfaces exposed to trimethylgallium
S. Goto, H. Ohno, Y. Nomura, Y. Morishita and Y. Katayama 104

Modulated molecular beam mass spectrometry studies of the growth of GaAs and $In_xGa_{1-x}As$ using tri-isobutylgallium
C.L. Levoguer, J.S. Foord, G.J. Davies and P.J. Skevington 109

Morphology on GaAs surfaces grown by metalorganic chemical vapor deposition and molecular beam epitaxy
K. Ikuta, J. Osaka and H. Yokoyama 114

CHEMICAL PRECURSORS

Chemical/surface mechanistic considerations in the design of novel precursors for metalorganic molecular beam epitaxy
D.A. Bohling, C.R. Abernathy and K.F. Jensen 118
Investigations of the growth of GaAs using stable adducts of gallane
J.S. Foord, T.J. Whitaker, D. O'Hare and A.C. Jones 127
Some comparisons of chemical beam epitaxy InGaAs/InP growth using triethylgallium, triisopropylgallium and triisobutylgallium sources
G.J. Davies, P.J. Skevington, J.C. Morris, A.C. Jones, S. Rushworth, J.S. Foord and C.L. Levoguer 133
Monoethylarsine as a novel replacement for unprecracked arsine source in the chemical beam epitaxial growth of GaAs using trimethylgallium and triethylgallium
S.J. Park, J.R. Ro, J.K. Sim and E.H. Lee 138
Low carbon incorporation in GaAs grown by chemical beam epitaxy using unprecracked arsine, trimethylgallium and triethylgallium
S.J. Park, J.R. Ro, J.K. Sim and E.H. Lee 143
Chemical beam epitaxial growth of InGaAs using a new precursor tri-isopropylgallium
T.H. Chiu, M.D. Williams, F.G. Storz and J.F. Ferguson 148
Comparison of triethylgallium and its amine-adduct on gas-phase reaction with trimethylamine-alane
K. Miyakoshi, K. Fujii, T. Hidaka, I. Suemune, M. Nakagawa and T. Ogawa 152
Plasma-cracked supply of group V and group VI elements for low temperature epitaxy
T. Hariu, S. Yamauchi, S.F. Fang, T. Ohshima and T. Hamada 157
Metalorganic molecular beam epitaxy of III–V compounds using tertiarybutyl-V as group-V sources
Y. Sasaki, Y. Fukuma, T. Abe, Z. Zhu, T. Yao, J. Takehara and M. Kitagawa 162
Influence of hydride purity on InP and InAlAs grown by chemical beam epitaxy
G.O. Munns, W.L. Chen, M.E. Sherwin, D. Knightly, G.I. Haddad, L. Davis and P.K. Bhattacharya 166

GROWTH STUDIES OF III–V MATERIALS

One-step growth of buried heterostructures by chemical beam epitaxy over patterned InP substrates
A. Rudra, H. Sugiura, J. Ling, J.M. Bonard, J.D. Ganière, M. de Fays, D. Araujo and M. Ilegems 173
Chemical beam epitaxy of InP on planar and non-planar substrates
T. Sudersena Rao, C. Lacelle, M. Davies, R. Barber, P. Chow-Chong, J. McCaffery, S.J. Rolfe, A.P. Roth, B. Benyon and B. Foster 179
Effect of the addition of an elemental Ga flux on the metalorganic molecular beam epitaxial growth of heavily carbon-doped InGaAs
J. Shirakashi, R.T. Yoshioka, A. Miyano, M. Konagai and K. Takahashi 186
Heavily carbon-doped p-type GaAs and $In_{0.53}Ga_{0.47}As$ grown by gas-source molecular beam epitaxy using carbon tetrabromide
C.W. Tu, B.W. Liang and T.P. Chin 191
InP and related compounds grown on (110) InP substrates by metalorganic molecular beam epitaxy (chemical beam epitaxy)
M. Mitsuhara, M. Okamoto, R. Iga, T. Yamada and H. Sugiura 195
Short-pulse chemical beam epitaxy
S. Zhang, J. Cui, A. Tanaka and Y. Aoyagi 200
Metalorganic molecular beam epitaxy growth of GaAs on patterned GaAs substrates
D. Marx, H. Asahi, X.F. Liu, Y. Okuno, K. Inoue, S. Gonda, S. Shimomura and S. Hiyamizu 204

III–V MATERIALS GROWTH FOR DEVICES

Surface emitting lasers grown by chemical beam epitaxy
T. Miyamoto, T. Uchida, N. Yokouchi and K. Iga 210
InGaAs (0.98 μm)/GaAs vertical cavity surface emitting laser grown by gas-source molecular beam epitaxy
Y.M. Houng, M.R.T. Tan, B.W. Liang, S.Y. Wang, L. Yang and D.E. Mars 216
Carbon-doped InGaP/GaAs/InGaP double heterojunction bipolar transistors with a very low $1/f$ noise corner frequency of 108 kHz grown by chemical beam epitaxy
Y.K. Chen, R. Kapre, W.T. Tsang, A. Tate, D.A. Humphrey and L. Fan 221

Chemical beam epitaxial growth of GaInAs(P)/InP heterostructures for laser applications
H. Rothfritz, R. Müller, C. Buchegger, G. Tränkle and G. Weimann 225
The effect of emitter layer variations on the current gain of AlGaAs–GaAs heterojunction bipolar transistors grown by chemical beam epitaxy
W.T. Moore, A.J. SpringThorpe, T.P. Lester, S. Eicher, R.K. Surridge, J. Hu and C.J. Miner 230
Quasi-planar GaAs heterojunction bipolar transistor device entirely grown by chemical beam epitaxy
F. Alexandre, D. Zerguine, P. Launay, J.L. Benchimol, M. Berz, B. Sermage, D. Komatitsch and M. Juhel 235

SELECTIVE AREA GROWTH

Surface reactivity and stability of Ga-deposited GaAs oxide mask for selective area growth of GaAs
M. Sasaki and S. Yoshida 241
Optical properties of InGaAs/InP double-heterostructures selectively grown by chemical beam epitaxy
M. Gotoda, Y. Nomura, T. Isu and S. Maruno 246
Selective area epitaxy of GaSb and AlGaSb by metalorganic molecular beam epitaxy
X.F. Liu, H. Asahi, Y. Okuno, D. Marx, K. Inoue and S. Gonda 250
The selectively grown permeable junction base transistor with a gate of highly carbon doped GaAs
G. Mörsch, J. Gräber, M. Kamp, M. Hollfelder and H. Lüth 256
Chemical beam epitaxy selectively-regrown n^+-GaAs layer on metalorganic chemical vapor deposition grown GaInP/GaInAs/GaAs pseudomorphic high electron mobility transistor structure
P. Bove, K. Ono, K. Joshin, H. Tanaka, K. Kasai and J. Komeno 261

HETEROSTRUCTURES

Gas source molecular beam epitaxy growth of GaP/AlP short period superlattices
H. Asahi, M. Enokida, K. Asami, J.H. Kim, T. Watanabe, R.K. Soni and S. Gonda 268
A new technique for fabricating InGaAsP superlattice by laser-assisted metalorganic molecular beam epitaxy
R. Iga, T. Yamada and H. Sugiura 273
Dynamics of island formation in the growth of InAs/InP quantum wells
A. Rudra, R. Houdré, J.F. Carlin and M. Ilegems 278
Strain and As species dependent Group V incorporation in GaAsP during gas source molecular beam epitaxy
J.E. Cunningham, M.B. Santos, K.W. Goossen, T.H. Chiu, M.D. Williams, W. Jan and F. Storz 282
Gas source molecular beam epitaxy and X-ray absorption fine structure characterization of InGaAs/InP short period superlattices
T. Mozume, H. Kashima, K. Hosomi, K. Ogata, K. Suenaga and A. Nakano 287
Growth parameter optimization of short period (< 50 Å) InGaAs/InP short period superlattices by chemical beam epitaxy for photonic devices
C. Rigo, A. Antolini, C. Cacciatore, C. Coriasso, L. Lazzarini and G. Salviati 293
Growth of GaInAs(P)/InP multi-quantum barrier by chemical beam epitaxy
Y. Inaba, T. Uchida, N. Yokouchi, T. Miyamoto, K. Mori, F. Koyama and K. Iga 297
Composition changes in $Ga_xIn_{1-x}As$/InP superlattice growth by chemical beam epitaxy
N. Yokouchi, Y. Inaba, T. Uchida, T. Miyamoto, K. Mori, F. Koyama and K. Iga 302
High-quality InGaP and InGaP/InAlP multiple quantum well grown by gas-source molecular beam epitaxy
C. Yan, D. Sun, H. Guo, X. Li, S. Zu, Y. Huang, Y. Zheng and M. Kong 306
Optical properties of InAs/AlSb superlattices grown by gas source molecular beam epitaxy
S.G. Kim, H. Asahi, M. Seta, K. Asami, S. Gonda, M. Yano and M. Inoue 310

GROWTH STUDIES OF Si-BASED MATERIALS

Gas-source molecular beam epitaxy and luminescence characterization of strained $Si_{1-x}Ge_x$/Si quantum wells
S. Fukatsu, N. Usami, Y. Kato, H. Sunamura, Y. Shiraki, H. Oku, T. Ohnishi, Y. Ohmori and K. Okumura 315
Determination of the sticking coefficient of disilane on Si(001) using the first reflection high energy electron diffraction oscillation period
K. Werner, S. Butzke, S. Radelaar and P. Balk 322

Si dangling bonds on Si(100) surface during gas-source molecular beam epitaxy with Si_2H_6
Y. Takakuwa, T. Yamaguchi and N. Miyamoto 328
Controlled carbonization of Si(001) surface using hydrocarbon radicals in ultrahigh vacuum
T. Hatayama, Y. Tarui, T. Yoshinobu, T. Fuyuki and H. Matsunami 333
Evidence for non-hydrogen desorption limited growth of Si from disilane at very low temperatures in gas source molecular beam epitaxy?
K. Werner, S. Butzke, S. Radelaar and P. Balk 338
Hydrogen desorption rate and surface hydrogen coverage during isothermal annealing for Si_2H_6-adsorbed Si(100) surfaces
T. Horie, Y. Takakuwa, T. Yamaguchi and N. Miyamoto 344
Facet formation mechanism of silicon selective epitaxial layer by Si ultrahigh vacuum chemical vapor deposition
T. Aoyama, T. Ikarashi, K. Miyanaga and T. Tatsumi 349
A $Si_{1-x}Ge_x$/Si single quantum well p–i–n structure grown by solid-source and gas-source "hybrid" Si molecular beam epitaxy
Y. Kato, S. Fukatsu, N. Usami and Y. Shiraki 355

GROWTH STUDIES OF NITRIDES, II–VI COMPOUNDS, ETC.

Epitaxial growth of cubic and hexagonal GaN by gas source molecular beam epitaxy using a microwave plasma nitrogen source
H. Okumura, S. Misawa, T. Okahisa and S. Yoshida 361
Growth of n- and p-ZnSe by gas source molecular beam epitaxy using metal Zn and H_2Se
M. Imaizumi, Y. Endoh, K. Ohtsuka and T. Isu 366
Effect of photo-irradiation on the growth of ZnSe in metalorganic molecular beam epitaxy
Y. Kawakami, T. Toyoda, Sz. Fujita and Sg. Fujita 371
In-situ probing of the ZnSe metalorganic molecular beam growth process by surface photo-interference method
S. Tokita, M. Kobayashi and A. Yoshikawa 376

Author index 381
Subject index 387